

Sample Identification # and Location	Location Description	Date/Time Collected	Date/Time Analyzed	Container ID	Analyte	Results	NYSDOH Action Level	Units
STA 007	OUT SIDE BY TEAM ROOMS BOTTLE FILLER	10/10/2024 07:28	1/23/2025 14:30	70332857001	Lead	<1.0	5	ug/L
STA 011	CONSESSION SINK 1	10/10/2024 07:36	1/23/2025 14:43	70332857005	Lead	<1.0	5	ug/L
STA 012	CONSESSION SINK 2	10/10/2024 07:35	1/23/2025 14:41	70332857004	Lead	<1.0	5	ug/L
STA 013	CONSESSION SINK 3	10/10/2024 07:34	1/23/2025 14:40	70332857003	Lead	<1.0	5	ug/L
STA 014	CONSESSION SINK 4	10/10/2024 07:31	1/23/2025 14:35	70332857002	Lead	1.1	5	ug/L
STA 031	CONSESSION SINK 5	10/10/2024 07:38	1/23/2025 14:44	70332857006	Lead	1.7	5	ug/L

NYSDOH Action Level for Lead In Schools of 5 ppb



January 24, 2025

Pete Colucci
CiTi BOCES Oswego City School District
2 Buccaneer Blvd
Oswego, NY 13126

RE: Project: STA-HIGH SCHOOL STADIUM 10/10
Pace Project No.: 70332857

Dear Pete Colucci:

Enclosed are the analytical results for sample(s) received by the laboratory on January 15, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Michelle Cohen
michelle.cohen@pacelabs.com
516-370-6000
Project Manager

Enclosures

cc: Ian Rowberry, CiTi BOCES Oswego City School District
CiTi BOCES Safety and, CiTi BOCES Oswego City School
District



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: STA-HIGH SCHOOL STADIUM 10/10

Pace Project No.: 70332857

Pace Analytical Services, LLC - Melville, NY

575 Broad Hollow Rd, Melville, NY 11747

Connecticut Certification #: PH-0435

Delaware Certification # NY 10478

Maryland Certification #: 208

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

New Jersey Certification #: NY158

New York Certification #: 10478 Primary Accrediting Body

Pennsylvania Certification #: 68-00350

Rhode Island Certification #: LAO00340

Texas Certification #: T104704582

Florida Certification #: E871198

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: STA-HIGH SCHOOL STADIUM 10/10

Pace Project No.: 70332857

Sample: STA 007		Lab ID: 70332857001	Collected: 10/10/24 07:28	Received: 01/15/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		01/23/25 14:30	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: STA-HIGH SCHOOL STADIUM 10/10

Pace Project No.: 70332857

Sample: STA 014		Lab ID: 70332857002	Collected: 10/10/24 07:31	Received: 01/15/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.1	ug/L	1.0	1		01/23/25 14:35	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: STA-HIGH SCHOOL STADIUM 10/10

Pace Project No.: 70332857

Sample: STA 013		Lab ID: 70332857003	Collected: 10/10/24 07:34	Received: 01/15/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		01/23/25 14:40	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: STA-HIGH SCHOOL STADIUM 10/10

Pace Project No.: 70332857

Sample: STA 012		Lab ID: 70332857004	Collected: 10/10/24 07:35	Received: 01/15/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		01/23/25 14:41	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: STA-HIGH SCHOOL STADIUM 10/10

Pace Project No.: 70332857

Sample: STA 011		Lab ID: 70332857005	Collected: 10/10/24 07:36	Received: 01/15/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	<1.0	ug/L	1.0	1		01/23/25 14:43	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: STA-HIGH SCHOOL STADIUM 10/10

Pace Project No.: 70332857

Sample: STA 031		Lab ID: 70332857006	Collected: 10/10/24 07:38	Received: 01/15/25 06:00	Matrix: Drinking Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS Drinking Water		Analytical Method: EPA 200.8 Pace Analytical Services - Melville						
Lead	1.7	ug/L	1.0	1		01/23/25 14:44	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: STA-HIGH SCHOOL STADIUM 10/10

Pace Project No.: 70332857

QC Batch: 381295 Analysis Method: EPA 200.8
 QC Batch Method: EPA 200.8 Analysis Description: 200.8 MET No Prep Drinking Water
 Laboratory: Pace Analytical Services - Melville
 Associated Lab Samples: 70332857001, 70332857002, 70332857003, 70332857004, 70332857005, 70332857006

METHOD BLANK: 2001430 Matrix: Water
 Associated Lab Samples: 70332857001, 70332857002, 70332857003, 70332857004, 70332857005, 70332857006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	<1.0	1.0	01/23/25 14:24	

LABORATORY CONTROL SAMPLE: 2001431

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	50	51.3	103	85-115	

MATRIX SPIKE SAMPLE: 2001433

Parameter	Units	70332857001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	<1.0	50	50.1	100	70-130	

MATRIX SPIKE SAMPLE: 2001435

Parameter	Units	70332857002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	1.1	50	51.3	100	70-130	

SAMPLE DUPLICATE: 2001432

Parameter	Units	70332857001 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	<1.0	<1.0		

SAMPLE DUPLICATE: 2001434

Parameter	Units	70332857002 Result	Dup Result	RPD	Qualifiers
Lead	ug/L	1.1	1.0	5	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: STA-HIGH SCHOOL STADIUM 10/10

Pace Project No.: 70332857

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: STA-HIGH SCHOOL STADIUM 10/10

Pace Project No.: 70332857

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70332857001	STA 007	EPA 200.8	381295		
70332857002	STA 014	EPA 200.8	381295		
70332857003	STA 013	EPA 200.8	381295		
70332857004	STA 012	EPA 200.8	381295		
70332857005	STA 011	EPA 200.8	381295		
70332857006	STA 031	EPA 200.8	381295		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Effective Date:

WO#: 70332857

PM: MC1

Due Date: 01/24/25

CLIENT: OswegoCityCS

Client Name: Oswego CityCS

Project #

Courier: Fed Ex UPS USPS Client Commercial Pac Other

Tracking #:

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No Temperature Blank Present: Yes No

Packing Material: Bubble Wrap Bubble Bags Ziploc Non Other Type of Ice: Wet Blue None

Thermometer Used: F16.0 Correction Factor: F16.0 Samples on ice, cooling process has begun

Cooler Temperature (°C): 16.3 Cooler Temperature Corrected (°C): 16.3 Date/Time 5035A kits placed in freezer

Temp should be above freezing to 6.0°C

USDA Regulated Soil (N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? Yes No

Did samples originate from a foreign source including Hawaii and Puerto Rico? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (ENV-FRM-MELV-0076) and include with SCUR/COC paperwork.

Date and Initials of person examining contents: 1/15/25

Table with 2 columns: Question/Requirement and Answer/Comments. Includes items like Chain of Custody Present, Sampler Name & Signature on COC, Short Hold Time Analysis, etc.

Date and Initials of person checking preservation: 1/15/25

Table with 2 columns: Question/Requirement and Answer/Comments. Includes items like All containers needing preservation, pH paper Lot #, Residual chlorine strips, etc.

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

* PM (Project Manager) review (which includes the SCUR) is documented electronically in LIMS.